International Journal of Paediatric Dentistry 1997; **7:** 291–293

Author and subject index

Adenomatoid odontogenic tumour in a 12-year-old boy, see Holroyd, 101
Agenesis in the primary and permanent dentitions in a population characterized by agenesis in the dentition, comparison of, see Daugaard-Jensen, 143
Agenesis in the primary dentition, pattern of: a radiographic study of 193 cases, see Daugaard-Jensen, 3
Amine fluoride solution, the effect of biannual applications of, on caries incidence in permanent first molars: a 5-year study, see Brambilla, 9
Anaesthesia, general infant feeding, oral hygiene and dental attendance patterns in children aged 5 years and under, for extraction of teeth under, see Hunter, 243
Annsari, G., Reid, J.S., Fung, D.E., Creanor, S.L. Regional odontodysplasia: report of four cases, 107
Anxiety, child dental, assessing: the validity of clinical observations, see Carson, 171
Apostolopoulos, A., *see* Zoitopolos, L.
Athannassouli, T., *see* Zoitopolos, L.
Attendance patterns, dental, and oral hygiene habits of 5-year-old children in Athens and South London, see Zoitopolos, 87

Balding, J.W., *see* Macgregor, I.D.M.
Beckwith-Wiedemann syndrome: dental management, see Garvey, 95
Bedi, R., *see* Dewhurst, S.N.
Bilateral paired maxillary supernumerary incisor teeth of supplemental and tuberculate form, a case with, see Dowling, 91
Birkeland, J.M., *see* Ibrahim, Y.E.
Bjorvatn, K., *see* Ibrahim, Y.E.
Bleaching of a discoloured non-vital tooth: use of sodium perborate/water paste as the bleaching agent, see Macey-Dare, 35
Boyd, D., Kinirons, M. Dental caries experience of children with haemophilia in Northern Ireland, 149
Brambilla, E., Toselli, A., Felloni, M., Malerba, A., Strohmenger, L. The effect of biannual applications of amine fluoride solution on caries incidence in permanent first molars: a 5-year study, 9

Calvert, M.L., *see* Harrison, M.
Caries and dental fluorosis in a 0·25 and 2·5 ppm fluoride area in the Sudan, see Ibrahim, 161
Caries behaviour in Danish teenagers: a longitudinal radiographic study, see Hintze, 227
Caries experience of 5-year-old children in Alkarj, Saudi Arabia, see Paul, 43
Caries prevalence, changing, in primary and permanent teeth of children in a Jerusalem neighbourhood, see Sgan-Cohen, 167
Carson, P., Freeman, R. Assessing child dental anxiety: the validity of clinical observations, 171
CHARGE association, solitary maxillary central incisor as a new finding in: a report of two cases, see Harrison, 185
Cleary, M.A., Francis, D.E.M., Kilpatrick, N.M. Oral health implications in children with inborn errors of intermediary metabolism: a review, 133
Creanor, S.L., *see* Ansari, G.

Daly, D., *see* Garvey, M.T.
Daugaard-Jensen, J., Nodal, M., Kjær, I. Pattern of agenesis in the primary dentition: a radiographic study of 193 cases, 3
Daugaard-Jensen, J., Nodal, M., Skovgaard, L.T., Kjær, I. Comparison of the pattern of agnesis in the primary and permanent dentitions in a population characterized by agenesis in the primary dentition, 143
Deery, C., Fyffe, H.E., Nugent, Z., Nuttall, N.M., Pitts, N.B. Integrity, maintenance and caries susceptibility of sealed surfaces in adolescents receiving regular care from general dental practitioners in Scotland, 75
Delap, E.A., *see* Dowling, P.A.
Dental caries in children, prevention of, see Shaw, 267
Dental hygiene in adolescents, motivation for, see Macgregor, 235
Desquamative gingivitis, benign mucous membrane pemphigoid presenting as, in a 14-year-old child, see Roche, 31
Dewhurst, S.N., Harris, J.C., Bedi, R. Infraocclusion of primary molars in monozygotic twins: report of two cases, 25
Dowling, P.A., Delap, E.A. A case with bilateral paired maxillary supernumerary incisor teeth of supplemental and tuberculate form, 91
Drinking, the effect of different methods of, on the pH of dental plaque in vivo, *see* Tahmassebi, 249
Duggal, M.S., Tahmassebi, J.F., Toumba, K.J., Mavromati, C. The effect of different etching times on the retention of fissure sealants in second primary and first permanent molars, 81
Duggal, M.S., *see also* Taahmassebi, J.F.

Ekstrand, J., *see* Hatibovic-Kofman, S.
España-Lópes, A.J., *see* Vallejo-Bolaos, E.
Etching times, different, effect on the retention of fissure sealant in second primary and first permanent molars, see Duggal, 81
European Academy of Paediatric Dentistry: Curriculum guidelines for education and training in Paediatric Dentistry, 273
Felloni, A., *see* Brambilla, E.
Field, E.A., *see* Rocha, C.
Francis, D.E.M., *see* Cleary, M.A.
Freeman, R., *see* Carson, P.
Fung, D.E., *see* Ansari, G.
Fyffe, H.E., *see* Deery, C.

Gagliani, M., *see* Brambilla, A.
Garvey, M.T., Daly, D., McNamara, T. Beckwith-Wiedemann syndrome: dental management, 95
Gelbier, S. History of the International Association of Paediatric Dentistry. Part 10: A final miscellany, 49
Gelbier, S., *see also* Zoitopolos, L.
Glass ionomer materials as a rechargeable fluoride-release system, see Hatibovic-Kofman, 65
Guimães, L., *see* Soviero, V.M.

Haemophilia, dental caries experience of children with, in Northern Ireland, see Boyd, 149
Haeussler, A.M., *see* McNamara, T.
Harris, J.C., *see* Dewhurst, S.N.
Harrison, M., Calvert, M.L., Longhurst, P. Solitary maxillary central incisor as a new finding in CHARGE association: a report of two cases, 185
Hatibovic-Kofman, S., Koch, G., Ekstrand, J. Glass ionomer materials as a rechargeable fluoride-release system, 65
Hector, M.P., *see* Rogers, C.E.A.

© 1997 BSPD and IAPD

Hintze, H. Caries behaviour in Danish teenagers: a longitudinal radiographic study, 227
Hisa, J.R.F., *see* Kikwilu, E.N.
Hodd, C.A., *see* Hunter, M.L.
Holroyd, I., Rule, D.C. Adenomatoid odontogenic tumour in a 12-year-old boy, 101
Hunter, B., *see* Hunter, M.L.
Hunter, M.L., Hood, C.A., Hunter, B., Kingdon, A. Reported infant feeding, oral hygiene and dental attendance patterns in children aged 5 years and under for extraction of teeth under general anaesthesia, 243

Ibrahim, Y.E., Bjorvatn, K., Birkeland, J.M. Caries and dental fluorosis in a 0·25 and 2·5 ppm fluoride area in the Sudan, 161
Inborn errors of intermediary metabolism, oral health implications in children with: a review, see Cleary, 133
Infraocclusion of primary in monozygotic twins: report of two cases, see Dewhurst
International Association of Paediatric Dentistry, history of. Part 10: A final miscellany, see Gelbier, 49
Isiekwe, M.C., *see* Otuyemi, O.D.

Jaber, M.A., Porter, S.R. Maxillofacial injuries in 209 Libyan children under 13 years of age, 39
Johnstone, S.C., *see* Seddon, R.P.
Jones, S.P., *see* Otuyemi, O.D.

Keane, J., *see* McNamara, T.
Kikwilu, E.N., Hiza, J.F.R. Tooth bud extraction and rubbing of herbs by traditional healers in Tanzania: prevalence, and sociological and environmental factors influencing the practices, 19
Kilpatrick, N.M., *see* Cleary, M.A.
Kingdon, A., *see* Hunter, M.L.
Kinirons, M., *see* Boyd, D.
Kjær, I., *see* Daugaard-Jensen, J.
Koch, *see* Hatibovic-Kofman, S.

Lesch-Nyhan syndrome, oral self-mutiliation by a 17-month-old child, see Rashid, 115
Longhurst, P. *see* Harrison, M.

Macey-Dare, L.V., Williams, B. Bleaching of a discoloured non-vital tooth: use of sodium perborate/water paste as the bleaching agent, 35
Macgregor, I.D.M., Balding, J.W., Regis, D. Motivation for dental hygiene in adolescents, 235
Maktabi, A., *see* Paul, T.
Malerba, A., *see* Brambilla, E.
Mann, J., *see* Sgan-Cohen, H.D.
Mavromati, C., *see* Duggal, M.S.
Maxillofacial injuries in 209 Libyan children under 13 years of age, see Jaber, 39
McNamara, T., Haeussler, A.M., Keane, J. Facial talon cusps, 259
McNamara, T., *see also* Garvey, M.T.
Mesiodentes in twins: a case report and a review of the literature, see Seddon, 177
Miasato, J.M., *see* Soviero, V.M.
Monte Alto, L.A., *see* Soviero, V.M.
Nodal, M., *see* Daugaard-Jensen, J.
Norén, J.G., *see* Robertson, A.
Nugent, Z., *see* Deery, C.
Nuttall, N.M., *see* Deery, C.

Occlusal relationships and spacing or crowding of teeth in the dentures of 3–4-year-old Nigerian children, see Otuyemi, 155
Odontodysplasia, regional: report of four cases, see Ansari, 107
O'Sullivan, E.A., Stephens, A.J. The oral and dental status of children residing in a Romanian orphanage, 41
Otuyemi, O.D., Sote, E.O., Isiekwe, M.C., Jones, S.P. Occlusal relationships and spacing or crowding of teeth in the dentitions of 3–4-year-old Nigerian children, 155

Paul, T., Maktabi, A. Caries experience of 5-year-old children in Alkarj, Saudi Arabia, 43
Pitts, N.B., *see* Deery, C.
Porter, S.R., *see* Jaber, M.A.
Primary molars, traumatic fractures of: a case report, see Soviero, 255

Radiographs, dental, of children, the establishment of current opinion within consultants in paediatric dentistry in the UK for the taking of, see Rogers, 191
Rafalovits, G., *see* Sgan-Cohen, H.D.
Ramos, M.E., *see* Soviero, V.M.
Rashid, N., Yusuf, H. Oral self-mutilation by a 17-month-old child with Lesch-Nyham syndrome, 115
Regis, D., *see* Macgregor, I.D.M.
Reid, J.S., *see* Ansari, G.
Robertson, A., Robertson, S., Norén, J.G. A retrospective evaluation of traumatized permanent teeth, 217
Robertson, S., *see* Robertson, A.
Roche, C., Field, E.A. Benign mucous membrane pemphigoid presenting as desquamative gingivitis in a 14-year-old child, 31
Rogers, C.E.A., Hector, M.P. The establishment of current opinion within consultants in paediatric dentistry in the UK for the taking of dental radiographs of children, 191
Romanian orphanage, the oral and dental status of children residing in, see O'Sullivan, 41
Ron, H., *see* Sgan-Cohen, H.D.
Rule, D.C., *see* Holroyd, I.

Sealed surfaces, integrity, maintenance and caries susceptibility of, in adolescents receiving regular care from general dental practitioners in Scotland, see Deery, 75
Seddon, R.P., Johnstone, S.C., Smith, P.B. Mesiodentes in twins: a case report and a review of the literature, 177
Sgan-Cohen, H.D., Rafalovits, G., Ron, H., Mann, J. Changing caries prevalence in primary and permanent teeth of children in a Jerusalem neighbourhood, 167
Shaw, L. Prevention of dental caries in children, 267
Short familial stature, the relationship between dental age, bone age and chronological age in 54 children with, see Vallejo-Bolæos, 15
Skovgaard, L.T., *see* Daugaard-Jensen, J.
Smith, P.B., *see* Seddon, R.P.
Sote, E.O., *see* Otuyemi, O.D.
Strohmenger, L., *see* Brambilla, E.
Soviero, V.M., Guimães, L., Miasato, J.M., Ramos, M.E., Monte Alto, L.A. Traumatic fractures of primary molars: a case report, 255
Spencer, A.J., *see* Wyne, A.H.
Szuster, F.S.P., *see* Wyne, A.H.

Tahmassebi, J.F., Duggal, M.S. The effect of different methods of drinking on the pH of dental plaque *in vivo*, 249

Tahmassebi, J.F., *see also* Duggal, M.S.
Talon cusps, facial, see McNamara, 259

Tooth bud extractions and rubbing of herbs by traditional healers in Tanzania: prevalence, and sociological and environmental factors influencing the practices, see Kikwilu, 19
Toothbrushing practices of 2–3-year-old children and their age at first dental visit: a survey in Adelaide, Australia, see Wyne, 263
Toseili, A., *see* Brambilla, E.
Toumba, K.J., *see* Duggal, M.S.
Traumatized permanent teeth, a retrospective evaluation of, see Robertson, 217

Vallejo-Bolaños, E., España-Lopez, A.J. The relationship between dental age, bone age and chronological age in 54 children with short familial stature, 15

Williams, B., *see* Macey-Dare, L.V.
Wyne, A.H., Spencer, A.J., Szuster, F.S.P. Toothbrushing practices of 2–3-year-old children and their age at first dental visit: a survey in Adelaide, South Australia, 263

Yusuf, H., *see* Rashid, N.

Zoitopolos, L., Athanassouli, T., Gelbier, S., Apostolopoulos, A. Dental attendance patterns and oral hygiene habits of 5-year-old children in Athens and South London, 87